




RFTM Roof Folding Mast Series

Roof folding telescopic mast lighting systems


Teklite's roof folding mast lighting system "RFTM" is the most economical lighting system to fit onto the roof of a fire vehicle. The RFTM lighting system is entirely manually operated and provided with mechanical locks for safety purposes. Lifting up the mast into a vertical position is very light and easy due to solid gas springs.




MOBILE, PORTABLE & EMERGENCY LIGHTING

Mast Specifications

Technical details




The lamps are adjustable vertically and the mast is turnable in every direction.



Two solid gas springs for light and easy folding/unfolding.



Locking/unlocking of the mast in vertical position.



Locking/unlocking of the mast in horizontal (park) position. Standard pre-mounted warning switch.



Standard 5 metres connection cable (5 x 1,5 mm²).

RFTM Series mast models (Class II approved)

Model	Cat. No.	Retracted height	Extended height	Internal cable	Weight of mast
2 SECTION MASTS					
RFTM 2/2	34260	1440 mm	2000 mm	5 x 1.5mm²	22,0 kg
RFTM 2,5/2	34261	1710 mm	2500 mm	5 x 1.5mm²	22,5 kg
RFTM 3/2	34262	1980 mm	3000 mm	5 x 1.5mm²	23,0 kg

Lamp choice

* Lamp unit available with lamp protection guard (option). Put a "P" after the **lamp unit cat. no.** for ordering purposes.

Double lamp unit, 2 lamps mounted below the bar

Cat. No.	Model	Volt	Ampere	Lumens
35670	2 x 70 Watt HP Sodium*	12	12,5	13.000
35671	2 x 70 Watt HP Sodium*	24	7,0	13.000
35672	2 x 70 Watt Metal Halide*	12	12,5	10.000
35673	2 x 70 Watt Metal Halide*	24	7,0	10.000
35674	1 x 70 Watt HP Sodium + 1 x 70 Watt Metal Halide*	12	12,8	11.500
35675	1 x 70 Watt HP Sodium + 1 x 70 Watt Metal Halide*	24	7,2	11.500
35684	2 x 35 Watt Xenon (1 x Wide + 1 x Beam)	12	5,9	7.000
35685	2 x 35 Watt Xenon (1 x Wide + 1 x Beam)	24	3,0	7.000
35690	2 x 55 Watt SMD-LED*	12	10,6	11.000
35691	2 x 55 Watt SMD-LED*	24	6,4	11.000
35696	2 x 100 Watt Xenophot*	12	16,7	7.200
35697	2 x 150 Watt Xenophot*	24	12,5	12.000
35698	2 x 300 Watt Halogen*	230	2,6	10.600
35699	2 x 500 Watt Halogen*	230	4,4	19.000
35702	2 x 750 Watt Halogen*	230	6,5	33.000
35704	2 x 1000 Watt Halogen*	230	8,7	44.000
35707	2 x 1500 Watt Halogen*	230	13,0	72.000

Model 2 x 500 Watt Halogen mounted below the bar



Model 2 x 35 Watt Xenon (1 x wide + 1 x beam) mounted below the bar



Double lamp unit, 2 lamps mounted above the bar only on request

RFTM Features

- Compact & easy to install
- Simple to operate
- Completely anodised aluminium alloy telescopic mast with 64 mm base tube and internal spiral cable
- Stainless steel folding chassis
- Choice of different lamp types



**Teklite**TM

All details given in this publication are approximate and may be subject to change without notice.

Distributor :

TEKSAM COMPANY NV, Woudstraat 21, 3600 Genk, Belgium

Tel : +32 (0)89 38 44 72

Fax : +32 (0)89 38 61 41

E-mail : info@teksamco.com

Website : www.teklite.com

TEKLITE is a division of Teksam Company NV

ISO 9001:2008 

PP 1499/E NV MM 01/01/14

MOBILE, PORTABLE & EMERGENCY LIGHTING